# **Energy performance certificate (EPC)**

Unit 2 Raven Close Bridgend Industrial Estate BRIDGEND CF31 3RF Energy rating

Valid until: 28 July 2034

Certificate number: **8305-1697-0599-6356-0701** 

Property type

General Industrial and Special Industrial Groups

Total floor area


423 square metres

## Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

#### **Energy rating and score**

This property's energy rating is D.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

## How this property compares to others

Properties similar to this one could have ratings:

If newly built

14 A

If typical of the existing stock

67 C

## Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity	
Building environment	Heating and Natural Ventilation	
Assessment level	3	
Building emission rate (kgCO2/m2 per year)	12.32	
Primary energy use (kWh/m2 per year)	130	

## **Recommendation report**

Guidance on improving the energy performance of this property can be found in the <u>recommendation report</u> (/energy-certificate/2733-0774-1519-1526-1302).

#### Who to contact about this certificate

#### Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	James Hupfield
Telephone	07901500898
Email	james@epc-commercial.co.uk

#### Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/028263
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk
About this assessment	
Employer	EPC Commercial Limited
Employer Employer address	EPC Commercial Limited Field Barn, Torton Lane, Worcestershire, DY10 4HX
Employer address	Field Barn, Torton Lane, Worcestershire, DY10 4HX